



SJ- L869

**Speed Camera/Radar Detector
Security – Tracker – Photo**



No. 12 Wulin Stl, Shulin Dist.,
New Taipei City 238 Taiwan, R.O.C
Tel: 886-2-2684-1569
Fax: 886-2-2684-1567

Sheng Jay Automation Technologies Co., Ltd.



Superior Features

- MMS photo send: Take photo and send photo to user when vehicle is been intruded
- Car alarm system: Ultrasonic / Vibration / Air Pressure sensor
- GPS tracker : Report real-time location to mobile phone or PC server
- SOS emergency key : Send current location and photo via MMS and SMS to mobile phone
- RF remote controller: Activate / Deactivate Security System
- POI Self-setting
- GEO Fence
- Server / Mobile phone remote configure
- X / K / Ka / Ku bands detecting support

Hardware specification

System Requirements
L x W x H: 107mm X 84mm X 51mm
Housing: Plastic
Power
DC Voltage: input 9 ~ 24 VDC
Rechargeable Battery
Minimum Capacity : 1000mAh
Nominal Voltage : 7.6V
Discharging Voltage (Min) : 7.2V
Charging Voltage (Max.) : 8.4.±0.042V
SIM Card
Voltage: 3.3 V

No. 12 Wulin Stl, Shulin Dist.,
New Taipei City 238 Taiwan, R.O.C
Tel: 886-2-2684-1569
Fax: 886-2-2684-1567

Sheng Jay Automation Technologies Co., Ltd.



Band Operation
Support : 850 / 900 / 1800 / 1900
GPS Functionality
Ublox 50 channel
Internal GPS antenna
GPS Protocols: NMEA0183
Accuracy (SA off): Position < 10M 2DRMS
Tracking Sensitivity: -159dBm (at the receiver input)
Environment
Operating: -20°C to +60°C
Storage: -40°C to +85°C
Humidity : Up to 95% non-condensing
Interface
RF remote controller : 315 MHz
Cameras: 30 Mega Pixels
USB 2.0 interface X 2
4 LED indicators to display working status
Internal speaker to alert user
4 function key display device status
LCD display time and direction
X / K / Ka / Ku band receiver to display band type of speeding camera
Sensors
Ultrasonic sensor
Air pressure sensor
Motion sensor
Memory
Micro SD card: Up to 2G
Video & Photo
Photo resolution: JPG 320X240 save in SD card / 160 X120 via MMS

No. 12 Wulin Stl, Shulin Dist.,
New Taipei City 238 Taiwan, R.O.C
Tel: 886-2-2684-1569
Fax: 886-2-2684-1567

Sheng Jay Automation Technologies Co., Ltd.

